












قیمت	تعداد	رنگ بندی	عکس کالا	مشخصات کالا	مدل	دسته بندی
		سفید		10000mAh LED display : LED/4 light Type C/micro input : 5V/2A USB output : 5.0V/2.1A weight : 190g dimension : 92*62*26mm	X-82 MAX	پاوربانک
		مشکی-سفید		10000mah LED/4 light, Type C/micro input : 5V/2A 9V2A USB/Type C total output : 5.0V/3A 9V/2.2A 12V/1.5A weight : 245g dimension : 137*69*16mm	X-85PD	
		مشکی-سفید		20000MAH LED display : LED/4 light Type C/micro input : 5V/2A USB output : 5.0V/2.1A weight : 450g dimension : 132*65*27.5	X-92MAX	
		مشکی-سفید		20000mah LED/4 light, Type C/micro input : 5V/2A 9V2A USB/Type C total output : 5.0V/3A 9V/2.2A 12V/1.5A weight : 430g dimension : 137*69*28mm	X-95PD	
		مشکی		20000mAh 22.5W IN1/IN2: 5V/2A, 9V/2A Input Type-C: 5V/3A, 9V/2A Output Type-C: 5V/3A, 9V/2.2A, 12V/1.5A Output USB1/USB2: 4.5V/5A, 5V/4.5A, 5V/3A, 9V/2A, 12V/1.5A Output Type-C+USB1+USB2: 5V/3A	NEW X-96PD	
		مشکی-سفید		30000Mah micro input : 5V/2A 9V/2A 12V/1.5A Type C output : 5V/3A 9V/2.3A 12V/1.7A Type-c input:5V/2A 9V/2A 12V/1.5A USB 1/2 output :5V/3A 9V/2A 12V/1.5A N.W : 590g SIZE : 132*65*41mm	NEW X-98PD	
		مشکی		30000mAh 22.5W Micro IN: 5V/2A, 9V/2A Input PD: 5V/3A, 9V/2A Output PD: 5V/3A, 9V/2.2A, 12V/1.5A Output USB-A1/USB-A2: 4.5V/5A, 5V/4.5A, 5V/3A, 9V/2A, 12V/1.5A Output PD+USB-A1+USB-A2: 5V/3A	NEW X-99PD	

		سفید-صورتی-مشکی		<ul style="list-style-type: none"> • Bluetooth V5.1 • Bluetooth range: 10M • Charging time: Around 1.5H • Battery of Earbuds: 30 mAh Lithium polymer • Battery of charging case: 250 mAh Lithium polymer 	NEW	X-04	ایرپاد
		مشکی-سفید		<ul style="list-style-type: none"> • Bluetooth V5.0 • Bluetooth range: 10M • Charging time: Around 1.5H • Battery of Earbuds: 30 mAh Lithium polymer • Battery of charging case: 250 mAh Lithium polymer 		X-05	
		سفید		<ul style="list-style-type: none"> • Bluetooth V5.1 • Bluetooth range: 10M • Charging time: Around 1.5H • Battery of Earbuds: 25 mAh Lithium polymer • Battery of charging case: 250 mAh Lithium polymer 		X-08	
		خاکستری-سبز-نارنجی		<ul style="list-style-type: none"> • Bluetooth V5.1 • Bluetooth range: 10M • Charging time: Around 1.5H • Battery of Earbuds: 40 mAh Lithium polymer • Battery of charging case : 2500 mAh Lithium polymer 		X-03	
		سفیدطلایی		Material :TPE Length : 1130 ± 30 mm Plug type: 3.5mm		DP80	هندزفری
		مشکی		Material :TPE Length : 1250 ± 30 mm Plug type: 3.5mm		DP82	
		سفید		Material :TPE Length : 1180 ± 30 mm Plug type: 3.5mm		DP87	
		سفید		Material :TPE Length : 1150 ± 30 mm Plug type: 3.5mm	NEW	DP89	
		سفید		OUTPUT(TYPE-C): 5V3A, 9V2.22A, 12V1.67A; OUTPUT(qc3.0):5V3A,9V2A,12V1.5A TOTAL:20W MAX, EU plug		X-520	شارژر
		سفید		Input:AC 1 00-240V 50 60HZ output:5.0V-1A EU PLUG		U1001	

		سفید مشکی		USB to Micro 1meter,100% Copper PVCJacket,(15/0.10BC)*2Core+(8/0.10B C)*2Core OD3.5mm 3.Color:White; Current:2A-2.4A	X-101	
		مشکی		USB TO Android PVC Jacket 100%Copper Sepcification:(43/0.08*2Core)+(16/0.08*2Core) OD=3.5MM No braid Current:2A-2.4A	DP-01	NEW
		مشکی		USB TO Micro USB A male to Micro PVC jacket Wire gauge: 43*0.08*2+12*0.08*2 OD: 3.5mm Current over 2A Length: 1M	X-110	NEW
		سفید		USB TO lightning Lightning USB cable 1meter,100% Copper PVCJacket,(15/0.10BC)*2Core+(8/0.10BC)*2Core OD3.5mm Current:2A-2.4A; 1M Application: Support Lightning Connector	X-200	NEW
		سفید		USB TO Lightning PVC Jacket ,1meter 100%Copper Sepcification:(43/0.08*2Core)+(16/0.08*2Core)OD=3.5 MM No braid Current:2A-2.4A	DP-02	
		قرمز مشکی		USB TO Lightning PVC Jacket ,Metal Shell 1 Meter 100% Copper Sepcification:(43/0.08*2Core)+(16/0.08*2Core)OD=3.5 MM No braid Current:2A-2.4A	X-220	
		سفید مشکی		USB toType C 100% Copper,PVC Jacket Sepcification: (43/0.08*2Core)+(16/0.08*2Core)OD=3.5MM No braid; Current:2A-2.4A 1 Meter	DP-03	
		سفید		USB to Micro 2 meter 100% Copper;PVCJacket,(15/0.10BC)*2Core+(8/0.10BC)*2Co re OD3.5mm Current:2A-2.4A	X-112	NEW
		سفید		USB to lightning 2meter 100%Copper;.PVCJacket,(15/0.10BC)*2Core+(8/0.10B C)*2Core OD3.5mm Current:2A-2.4A	X-122	NEW
		سفید		USB to Type-C 2meter 100%Copper;PVCJacket,(15/0.10BC)*2Core+(8/0.10BC) *2Core OD3.5mm Current:2A-2.4A	X-123	NEW
		مشکی		AUX cable 1 meter 100% Copper PVC jacket 3core*8/0.08OD2.8mm	X-216	

کابل